# MINERAL SURVEY No. 3891

Ma/28.99

_	L	and District.
FIE	LD NOTES	3
CF THE SURVE	TERIOR BOUNDARIES OF Y OF THE MINING C	THE AIM OF
ROY RUIDH	Už D	
hig 3 Hos. 1-7-5-4-	5-6 lodes	
#	NOWN 18 THE MADE UNDER	
Regs. under the Act of L	lune 30,1919, as an	sended Nov. 11, 1920
90 <u>9 300Ha</u>		Ind. Res Mining I
yed under instructions	datedril 3	, <b>19</b> 23
	by He	G. Thomas
	by H.	
Claim located See		U. S. Mineral S
Claim located See	location notices	U. S. Mineral S, 19
	Jocation notices	U. S. Mineral S, 19, 19
Survey commenced	location notices  pril 16	U. S. Mineral S

#### MINERAL SURVEY NO. 3891

Feet

Big Three Nos. 1, 2, 3, 4, 5, & 6 lodes
Beginning at Cor. No. 1

Identical with Cor. No. 4, Sur. No. 3812, a diabase & boulder, 24 ins. long, .3 x 1.0 ft. square, set 12 ins. in ground, with mound of stone, chiseled 4-3812 with X for exact corner point, to which I add 1-3891 for this survey.

A diabase boulder in place, 7.0 x 3.0 ft. square, 2.0 ft. out of ground, chiseled BR.4-3812 with X for exact point bears S.19°44'W. 10.6 ft. to which I add BR-1-3891 for this survey.

Mile Cor.
The 21 -WMIR-WB bears S.86°20'W. 9353.70 ft.

Thence N.19°46'E.

1434.00 To Cor. No. 2

On line 4-3 Sur. No. 3813

A diabase boulder, 24 ins. long, 0.3 x 0.7 ft. pointed, set 12 ins. in ground, with mound of stone, chiseled 2-3891 with X for exact corner point. Cor. No. 3.Sdr. 3812 bears N.19 46 E.128.6 ft. No bearings available.

Thence S.85°11'E.

1290.24 To cor. No. 3.

A flat limestone 24 ins.long.l.O x 0.5 ft. square, 0.5 ft. out of ground, with mound of stone, chiseled 3-3891 with X for exact corner point.

A flat limestone outcrop 2.5 x 2.5 ft. square, 0.5 ft. out of ground, chiseled BR-3-3891 with X for exact point bears N.14°47'E. 59.7 ft.

Thence N.15° 03'W.

255.77 To Cor. No. 4.

A limestone boulder, 0.8 x 0.4 ft. square, set 12 ins.
in the ground with mound of stone, chiseled 4-3891 with
X for exact corner point.
No bearings available.

Thence N.74°57'E.

582.11 To Cor. No. 5.

Identical with Cor. No. 6-Sur. No. 3850, a limestone boulder, 24' ins. long,  $0.7 \times 0.35$  ft. square, set 12 ins in the ground, with mound of stone, chiseled 6-3850

with X for exact corner point to which I add 5-3891 for this survey.

A limestone ledge , 4 ft. high, chiseled BR-6-3850 with X for exact point bears N.24°19: E. 21.73 ft.

Thence S. 15°44' E.

1500.00 To Cor. No. 6.

Identical with Cor. No. 1 Sur. 3850, a diabase outcrop 4 x 4 ft. square, 7.0 ft. out of ground, with mound of stone, chiseled 1-3850 with X for exact corner point, to which I add for this survey 6-3891.

add for this survey 6-3891. U.S.L.M. No. 3787 brs. 3.71°25'W. 842.0 ft. No bearings available.

Thence S.19°46'W.

1431.25 To Cor. No. 7.

A diabase stone, 24 ins. long, 0.8 x 0.3 ft. square, set 12 ins. in ground, with mound of stone, chiseled 7-3891 with X for exact corner point.

No bearings available.

Thence S.77°09'W.

471.09 Intersect line 5-6 Sur., 3812 at S.38°33' E. 1523.47 ft. from Cor. No. 5.

494.54 To Cor. No. 8.

A diabase boulder in place, , 4.0 x. 3,0 ft. square, 2.0 ft. out of ground, with mound of stone, chiseled 8-3891 with X for exact corner point.

No bearings available

Thence N. 37° 45' W.

1513.45 To Cor. No. 19.

Identical with Cor. No. 5 Sur. 3812, a diabase boulder in place, 2.5 x 2.5 ft. square, 2.0 ft. out of ground with mound of stone, chiseled 5-3812 with X for exact corner point, to which I add 9-3891 for this survey.

A diabase boulder 3.0 x 3.0 ft. square, 4.0 ft. out of ground chiseled BR-5-3812 with X for exact point bears N.51°27' E. 2.87 ft. to which I add BR-9-3891 for this survey.

Thence N.85°11'W

785.52 To place of beginning

### MINERAL SURVEY NO. 3891 continued

Variation at all corners 15°30'E.

AREA: -

Total area Min. Sur. No. 3891 Area in conflict with:-Sur. No. 3812

Acres 105.813

.3691

LOCATION: -

This survey is located on unsurveyed ground which when surveyed will be approximately Sec 11 &12 T.5N., R. 171., G.& S.R. B.& M. within the boundaries of the Fort Apache Indian Reservation about limite northeasterly from the Peninsula Bend on Salt River.

INSTRUMENT: -

This survey was made with a Gurley transit.
The courses were deflected from line 4-5 Survey No. 3812
the true course of which was previously determined by
myself. The distances were measured with a 500 ft. steel tape.

ADJOINING CLAIMS:-

Min. Sur. No. 3891 is bounded on the east by Sur. 3850, on the south by unappropriated ground and Sur. 3812 on the west by Sur. No. 3812.

REPORT: -

and

The 21 Mile Corner of the WMIR-WB is a 3 inch iron p ptpe with a brass cap marked 21M

PL WMIR A I/B

1915

Sur. No. 3812:-

Corners 3,4,5 & 6 are stones properly set and chiseled with the number of corner and survey. I find the courses and distances to be correct as a prove of line 3-4 as approved to be in error; same is carrectly given in these notes. Sur. No. 3850:-

Corners 1 & 6 are stones properly set and chiseled with the number of corner and survey. I find all courses and distances to be correct as approved.

Sur. No. 3807:-

Thru failure of locators to complete lease this claim has been abandoned and is now unappropriated ground of the reservation.

The survey of this group is identical with the location all the exterior corners of which were found in place. Sur. Nos. 3808 & 3823:-

Thru failure of locators to complete lease these surveys have been abandoned and are practically covered by Sur. No. 3891

Shome

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals er	mployed by R. G. Thomas	
United States Mineral Surveyor, to assist in		
boundaries described in the foregoing field no		
known as the Big 3 Nos. 1, 2,		
and showing the respective capacities in whic		
	Chas. O. Reidhead	
		, Chainman.
		, Axman.
		, Flagman.
FINAL OATH	IS OF ASSISTANTS.	
W.J. Chas. O. Reidhead		
and		
	es Mineral Surveyor, in marking the corner	
the boundaries of the mining claim of		
known as the Big 3 Nos. 1-2-3-4-5		
represented in the foregoing field notes as hav		
direction; and that said survey has been in all 1	respects, to the best of our knowledge and b	elief, faithfully
and correctly executed, and the corner and bound	lary monuments established according to law	and the instruc-
tions furnished by the United States Surveyor-G	eneral for Arizona	24
	Chas O Reidless	Chainman
		, Chainman.
		Flagman
M	the above-named persons before me this	100
day of //o	4 , 1923	200
June Comusión Dox 7,1926	FEO. Mrs	Good
4pins Oct. 7,1926	Malaryo	Deble
		6-1043

# FINAL OATH OF U.S. MINERAL SURVEYOR.

I, R. G. Thomas, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for, dated, dated
April 2, 1923, , I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Roy Reidhead
, known as the
Big 3 Nos. 1, 2, 3, 4, 5, 6 lodes
situate in Fort apache Indian Reservation Mining/District,
Gila County, Arizona , in Section
Approx. Secs. 11 & 12 Township No. 5N , Range No. 17E Unsur.
and designated as Survey No. 3891, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim. and that said exterior bdgs as surveyed
embrace the contiguous locations as applied for and no addition
al tracts.
Ry. Thomas
U.S. Mineral Surveyor.
Subscribed and sworn to by the said the said the said
U. S. Mineral Surveyor, before me
Matary Juble this 23 rd
day of May , 1923
MY CONTRIBUTION EXPIRED MARCH 16, 1924.
G & Daniel
Matary Publi
5-1044

## U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

## DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

	Phoenix, Arizona,
	October 3 , 1923 .
I, U. S. Surveyor General for	District of Arizona
	anscript of the Field Notes, return and approval
Re	by Reidhead
	3 NOS. 1, 2, 3, 4, 5, & 6 lodes
	situate in Fort Apache Indian Reservation
Mining District,	0116
	Section 8 11 & 12 , Township No. 5 N.
nange No. 17 E. unsur.	, and designated as Survey
No. 3891 ,	has been correctly copied from the originals on
file in this office; that said Field Note	es furnish such an accurate description of said
mining claim as will if incompareted in	the said the description of said
mining claim as win, it incorporated in	nto a patent, serve fully to identify the premises,
and that such reference is made therein	to natural objects or permanent monuments as
will perpetuate and fix the locus thereof	
	ndred dollars' worth of labor has been expended
or improvements made upon said mini	ng claim by claimant or grantors, and
that said improvements consist of	
/	/
and that no portion of said labor or imp	vorces only by the state of the
expenditures upon any other claim.	rovements has been included in the estimate of
	f flat: U TI G T
I further certify that the plat thereo	i, med in the U.S. Land Office at
is correct and in	conformity with the foregoing Field Notes.
	Frank P. Trott
United States Sur	rveyor General for Arizona.

# SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

### DEPARTMENT OF THE INTERIOR

OFFICE OF U. S. SURVEYOR GENERAL

	Phoenix, Arizona,
	October 3 , 1923
I, U. S. Surveyor General forDistrict	of Arizona
do hereby certify that the foregoing and hereto attack	hed Field Notes and Return of the Survey of the
Mining Claim of	
Roy Reidhead	
BIG 3 NOS. 1, 2, 3,	4,5,&6 lodes
situate inFort Apache	Indian Reservation mining-district,
Approx.	
in Section S 11 & 12 , Township No.	
, designated as Survey No.	
executed byR.G. Thomas	
Surveyor,April 16 - 19	
April 2 , ha	we been critically examined and the necessary
corrections and explanations made, and the said Field 1	Notes and Return, and the survey they describe,
are hereby approved. The certified copy of the location	n certificate filed by the applicant for survey is
on file in this office and a true copy of said certified co	opy of said location certificate is included and
nade a part of the transcript of the field notes.	
26	Fremel Dotrott

U. S. Surveyor General for \_\_\_\_Arizona

#### UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT ARIZONA STATE OFFICE

9605 (952) M.S. 3891

#### NOTICE OF CANCELLATION OF MINERAL SURVEY

The Big 3 No.1, No.2, No.3, No.4, No.5 and No.6 lodes, Mineral Survey No. 3891, located in sections 24 and 25, Township 5 North, Range 17 East, Gila and Salt River Meridian, Arizona, are hereby canceled.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Big 3 No.1, No.2, No.3, No.4, No.5 and No.6 lodes, M.S. 3891 were canceled May 11, 1999, by memo 9605 (952) M.S. 3891, which is now a part of the original field notes."

May 11, 1999 Date

Chief Cadastral Surveyor of Arizona